

— GUIDELINE —

**The discharge of sewage from certain
vessels into State Waters**

Port Davey – Bathurst Harbour

*This guideline is to be read in conjunction with the Sewage
Management Directive made, on 18 December 2013, in
accordance with section 25CC of the Pollution of Waters by
Oil and Noxious Substances Act 1987*

GUIDELINE - The discharge of sewage from certain vessels into State Waters
Port Davey – Bathurst Harbour

*This guideline is to be read in conjunction with the Sewage Management Directive made, on 18 December 2013,
in accordance with section 25CC of the Pollution of Waters by Oil and Noxious Substances Act 1987*

ENQUIRIES

EPA Division
Department of Primary Industries, Parks, Water and Environment
GPO Box 1751
Hobart
Tasmania 7001


Telephone: (03) 616 54 599
Fax: (03) 6233 3800
Email: EPAEnquiries@environment.tas.gov.au

Web: www.epa.tas.gov.au

Recommended citation: EPA Tasmania (2014) Guideline – The discharge of sewage from certain vessels into State Waters (*Port Davey – Bathurst Harbour*), Published on behalf of EPA Tasmania by the EPA Division, Department of Primary Industries, Parks, Water and Environment, Tasmania.

Disclaimer

The information provided in this document is provided in good faith. The Crown, its officers, employees and agents do not accept liability however arising, including liability for negligence, for any loss resulting from the use of or reliance upon the information in this report and/or reliance on its availability at any time.



Payne Bay, north of a line between Curtis Point and Woody Point; and
 James Kelly Basin, south and west of a line between Garden Point and Larsens Rocks:
 From commencement:
 No discharge - any vessel, any sewage

No discharge in any inland waters

Bathurst Harbour and all bays and inlets therein; and
 Bathurst Channel and all bays and inlets therein, east of a line between Hammond Point and Forrester Point:
 From commencement:
 No discharge - any vessel, any sewage

Port Davey-Payne Bay:
 For vessels <16 persons:
 Macerated Discharge permitted provided that:

- ≥ 120m from any land and ≥ 5m deep - from commencement (disinfected sewage)
- ≥ 120m from any land and ≥ 5m deep – until Nov.018 (raw sewage),
- ≥ 1 nautical mile from land after 1 Nov. 2018 (raw sewage)

Port Davey-Payne Bay:
 For vessels 16 or more persons –
 From commencement:
 Macerated Discharge permitted 1 nautical mile or more from any land

Discharges in any waters where discharge is permitted, must not result in visible floating solids or prolonged discoloration of the waters



ENVIRONMENT PROTECTION AUTHORITY

