

— **GUIDELINE** —

**The discharge of sewage from certain  
vessels into State Waters**

***King Island***

*This guideline is to be read in conjunction with the Sewage  
Management Directive made, on 18 December 2013, in  
accordance with section 25CC of the Pollution of Waters by  
Oil and Noxious Substances Act 1987*

GUIDELINE - The discharge of sewage from certain vessels into State Waters  
*King Island*

*This guideline is to be read in conjunction with the Sewage Management Directive made, on 18 December 2013,  
in accordance with section 25CC of the Pollution of Waters by Oil and Noxious Substances Act 1987*

ENQUIRIES

EPA Division  
Department of Primary Industries, Parks, Water and Environment  
GPO Box 1751  
Hobart  
Tasmania 7001

Telephone: (03) 616 54 599  
Fax: (03) 6233 3800  
Email: [EPAEnquiries@environment.tas.gov.au](mailto:EPAEnquiries@environment.tas.gov.au)

Web: [www.epa.tas.gov.au](http://www.epa.tas.gov.au)

Recommended citation: EPA Tasmania (2014) Guideline – The discharge of sewage from certain vessels into State Waters (*King Island*), Published on behalf of EPA Tasmania by the EPA Division, Department of Primary Industries, Parks, Water and Environment, Tasmania.

**Disclaimer**

The information provided in this document is provided in good faith. The Crown, its officers, employees and agents do not accept liability however arising, including liability for negligence, for any loss resulting from the use of or reliance upon the information in this report and/or reliance on its availability at any time.

Discharge of sewage that is not disinfected from vessels carrying less than 16 persons until November 2018 – PART 2 of the Directive;  
and

Discharge of disinfected sewage from vessels carrying less than 16 persons from commencement onwards– PART 5 of the Directive.

Discharges in any waters where discharge is permitted, must not result in visible floating solids or prolonged discoloration of the waters.

No discharge –


- In any intermittently opening/closing coastal lagoon; or
- in any inland waters

**All coastal and estuarine waters of King Island:**  
Macerated discharge permitted provided that:


- water depth not less than 5m; &
- not within marina/mooring area/canal; &
- not within a marine protected area (*Living Marine Resources Act 1995*); &
- not within 500m of an operating shellfish farm; &
- not within 500m of public wharf or jetty; &
- not within 500m of any recognized swimming beach during summer, or 120m of a person in the water elsewhere & at other times; &
- not within 50m of another vessel.

Tasmanian Government

Discharge of sewage that is not disinfected from vessels carrying less than 16 persons from November 2018 – PART 3 of the Directive



Discharge of any sewage from vessels carrying 16 or more persons from commencement onwards– see PART 4 of the Directive





ENVIRONMENT PROTECTION AUTHORITY

